

## GLUE FOR MARBLE & GRANITE



### EAGLE MASTIC



#### GLUE FOR MARBLE AND GRANITE

Eagle Mastic (2-components polyester) is a synthetic resin-based adhesive with a specific weight between 1.1 and 1.65 gram/cm<sup>3</sup>.

#### TYPICAL PROPERTIES

- Specially formulated for use in gluing and filling of all types of marbles, stones and granites.
- Suitable for all types of work, including anchoring of anchor bolts.
- Used most of all in the building industries, especially for natural marble and/or stone coatings and floors.
- Used to glue marbles or to fill all those materials with a porous surface
- Used to fill joints of the floors made with marble slabs so that after hardening, the surface would be ready to be polished.



## GLUE FOR MARBLE & GRANITE



### TECHNICAL SPECIFICATIONS

#### Technical Specifications

Storage	1 year well sealed in it's original container
Hardness	1.800 kp/cm (DIN 53456)
Pot life at 20°C	20 minutes
Tensile Strength	900 kp/cm (DIN 53455)
Bending Strength	1.500 kp/cm (DIN 53152)
Compressive Strength	1.500 kp/cm (L-P-4066)
Accelerated Ageing at 50°C	30 days
Behavior	Same as the marble where it is applied



**LOCATION**

